AMENDMENTS TO THE SPECIFICATION

Please amend paragraph [0014], beginning on page 4, line 17 as follows:

Fig. 1 shows changes in partial pressure of arterial carbon dioxide (PaCO₂) of 12 patients for the period from before the 1st administration period until the end of the 6th administration period, during which 2 ampules of "Radicut injection 30 mg" were administered daily in Example 2.

Fig. 2 shows the evaluation schedule of ALSFRS-R (Revised ALS functional rating scale) for patients of Example 1.

Please delete paragraph [0054], beginning on page 20, line 18, and ending on page 21, line 1, in its entirety, including the illustration.

Please amend paragraph [0056], beginning on page 22, line 23 as follows: [0056]

b) Assessment based on cumulative differences

Table 2Table 1 shows results of assessment based on cumulative differences of individual cases of each drug administration group in accordance with ALSFRS-R. The suppression rates (rates of "suppressed") were 20% (1 out of 5 cases) in the 30 mg group, and 50% (7 out of 14 cases) in the 60 mg group.

Please amend paragraph [0057], beginning on page 22, line 29 as follows: [0057]

[Table 2][Table 1]

[0014]

Assessment based on cumulative differences in accordance with ALSFRS-R					
Drug	Assessment				
administration group	Suppressed	Slightly suppressed	No change	Suppression rate	
30 mg group	1	3	1	20.0%	
60 mg group	7	1	6	50.0%	

Hiide YOSHINO et al. Serial No. 10/588,778 Attorney Docket No. 2006_1312A June 1, 2011

Please amend paragraph [0067], beginning on page 25, line 10 as follows: $\lceil 0067 \rceil$

[Table 3][Table 2]

1 4010 21		
Examined component	Before administration	After administration
GOT (IU/L)	21.3	19.1
GPT (IU/L)	22.2	19.6
γ-GTP (IU/L)	31.6	25.3
BUN (mg/dl)	14.1	14.3
Creatinine (mg/dl)	0.6	0.6
CK (IU/L)	165.3	135.6